

Distillates / Regenerates / Solvents / Stocklot

Destillaten / Regeneraten / Oplosmiddelen / Partijen

Please contact us for availability, packaging, price and specifications.

T +31 (0)24 67 80 280

sales@inter-green.eu

30-IG-0000 Polyurethane thinner / TPU thinner

Polyurethaan verdunner

Density	0.87 – 0.89 kg/l	
Water content	< 0.30 %	
Colour	< 20 Hazen	
Content	n-butylacetate	35 – 60%
	Xylenes	20 - 30%
	Methoxy propyl acetate/ PMA/MPA	10 – 20%
	Rest	< 11%

23-IG-0175 Methoxy Propyl Acetate / PMA / MPA

Polyurethaan verdunner

Density	0.93 kg/l	
Water content	< 0.35 %	
Colour	< 10 Hazen	
Content	Methoxy propyl acetate/ PMA/MPA	70 – 100%
	Xylenes	15 - 25%
	n-butylacetate	1 – 5%
	Rest	< 2%

144-IG-0000 Nylosolv A

Density	0.833 – 0.849 kg/l
Content	Specific

42-IG-0163 Xylenes/Solvent Naphta 90-170 mixture

Xyleen (isomerenmengsel) / Solvent Nafta 90/170 / Solvesso 100

Refractive index	1.473	
Density	0.84 kg/l	
Water content	< 0.1 %	
Colour	10 Hazen	
Smell	Deviant	
Beilsteintest	Negative	
Content	Xylenes	60 - 65%
	Solvent Naphta 90/170	20 - 25%
	Special Boiling Point Liquid	3 - 7%
	IPA	< 5%
	Rest	< 7%

60-IG-0000 Rinsing thinner

Spoelverdunner / Cleaning thinner /Nitrocellulose thinner

Density	0.854 – 0.864 kg/l	
Water content	0.7 – 2.0 %	
Colour	30 - 150 Hazen	
Content	Xylenes/Toluene/	50 – 60%
	Solvent Naphta 90/170	
	Ethyl acetate/Propyl acetate/n-Butyl acetate/	15 -30%
	Methoxy propyl acetate	
	MIBK/MEK/acetone	10 – 15%
	Ethyl alcohol/Isobutyl alcohol/Isopropyl alcohol IPA	2.0 – 4.0%
	Rest	1.0 – 4.0%

51-IG-0000 Solvent Naphta D60 (White Spirit D60)

Refractive index	1.4340-1.4380	
Density	0.79 kg/l	
Water content	< 0.02 %	
Colour	20 - 50 Hazen	
Smell	Deviant	
Content	Solvent Naphta D60	> 98%
	Rest	< 2 %

20-IG-0000 Ethylacetate

ethylacetaat

Refractive index	1.372-1.376	
Density	0.89 kg/l	
Water content	1,3 – 2,4 %	
Colour	< 20 Hazen	
Smell	Deviant	
Content	Ethylacetate	93 – 99 %
	Ethanol (ethylalcohol)	2,5 – 4,6 %
	Toluene	0,4 – 1,9 %
	Xylenes	0,4 – 1,5 %
	Rest	< 1,5 %

50-IG-0000 Terpentina D / White Spirit D40, low aromatic

Density	0.77 kg/l	
Water content	< 0.02 %	
Colour	10 – 100 Hazen	
Smell	Characteristic	
Content	D40	> 99%

40-IG-0153 Toluene

tolueen

Density	0.84 – 0.87 kg/l	
Water content	< 1,1 %	
Colour	10 – 30 Hazen	
Content	Toluene	20 – 60%
	Xylenes	5 - 35%
	n-butylacetate, ethylacetate	10 – 35%
	MIBK/MEK/acetone	5 – 15%
	Solvent Naphta 90/170	< 7%
	Ethyl alcohol/Isobutyl alcohol/Isopropyl alcohol IPA	< 5%
	Methoxy propyl acetate/ PMA/MPA	< 5%
	Rest	< 10%

40-IG-0250 Toluene/acetone mixture

tolueen / aceton

Density	0.80 – 0.85 kg/l	
Water content	0 - 3 %	
Colour	10 Hazen	
Content	Toluene	20 – 70%
	Acetone	15 – 80%
	Ethylacetate	1 – 15%
	Special boiling point liquid	1 - 18%